

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of

Atty Dkt. 540-333

C# M#

NADIN

TC/A.U.

2856


Serial No. 10/069,049

Examiner: C. Garber

Filed: February 21, 2002

Date: February 15, 2005

Title: DETECTION OF FLUID LEAK SITES IN FLUID CONTAINERS

2856
JFW**Mail Stop Non-Fee Amendment**

Commissioner for Patents

P.O. Box 1450

Alexandria, VA 22313-1450

Sir:

RESPONSE/AMENDMENT/LETTER

This is a response/amendment/letter in the above-identified application and includes an attachment which is hereby incorporated by reference and the signature below serves as the signature to the attachment in the absence of any other signature thereon.

☐ **Correspondence Address Indication Form Attached.****Fees are attached as calculated below:**

Total effective claims after amendment 7 minus highest number
previously paid for 20 (at least 20) = 0 x \$50.00 \$0.00 (1202)/\$0.00 (2202) \$

Independent claims after amendment 4 minus highest number
previously paid for 4 (at least 3) = 0 x \$200.00 \$0.00 (1201)/\$0.00 (2201) \$

If proper multiple dependent claims now added for first time, (ignore improper); add

\$360.00 (1051)/\$180.00 (2051) \$

Petition is hereby made to extend the current due date so as to cover the filing date of this
paper and attachment(s)

One Month Extension \$120.00 (1251)/\$60.00 (2251)

Two Month Extensions \$450.00 (1252)/\$225.00 (2252)

Three Month Extensions \$1020.00 (1253)/\$510.00 (2253)

Four Month Extensions \$1590.00 (1254)/\$795.00 (2254) \$

Terminal disclaimer enclosed, add

\$130.00 (1814)/\$65.00 (2814) \$

☐ Applicant claims "small entity" status. ☐ Statement filed herewith

Rule 56 Information Disclosure Statement Filing Fee

\$180.00 (1806) \$

Assignment Recording Fee

\$40.00 (8021) \$

Other:

\$

TOTAL FEE ENCLOSED \$ 0.00


The Commissioner is hereby authorized to charge any deficiency, or credit any overpayment, in the fee(s) filed, or asserted to be filed, or which should have been filed herewith (or with any paper hereafter filed in this application by this firm) to our Account No. 14-1140. A duplicate copy of this sheet is attached.

1100 North Glebe Road, 8th Floor
Arlington, Virginia 22201-4714
Telephone: (703) 816-4000
Facsimile: (703) 816-4100
SCS:kmm

NIXON & VANDERHYE P.C.

By Atty: Stanley C. Spooner, Reg. No. 27,393

Signature: _____



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of

NADIN

Atty. Ref.: 540-333; Confirmation No. 9300

Appl. No. 10/069,049

TC/A.U. 2856

Filed: February 21, 2002

Examiner: C. Garber

For: DETECTION OF FLUID LEAK SITES IN FLUID CONTAINERS

* * * * *

February 15, 2005

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

AMENDMENT UNDER RULE 111

This Amendment under the provisions of 37 CFR 1.111 is responsive to the Official Action mailed November 15, 2004 (Paper No. 20041110), the date of response to which is February 15, 2005.